

submaterial

CENTURY

Screen

+1 505 891 8356
SALES@SUBMATERIAL.COM



© 2023 SUBMATERIAL LLC

CENTURY

Screen



**THE CENTURY SCREEN
ELEVATES ANY SPACE
WITH ITS DIMENSIONAL
SURFACE THAT CATCHES
THE SUNLIGHT AND
PRODUCES DRAMATIC
SHADOWS.**

The statement room divider can be fabricated with walnut or white oak. The sleek veneer is laminated to a thick core of natural cork. Using the densest composite cork on the market, the cork is lightweight, abrasion-resistant, and acoustic dampening, as well as being biodegradable, renewable, and recyclable.



CENTURY
Screen

CUSTOMIZE YOUR PRODUCT

Diagrammed below are the materials used to create this Submaterial product. If you would like to make this product one-of-a-kind, select colors from the provided swatches on the following pages using the diagram to assist you in the material assignments. If you believe the customization you seek is outside of the standards listed below, please contact us. Color combinations and configurations to a product may be limited. For more information about limitations be in touch with us at sales@submaterial.com.

submaterial


WOOD

RAL

COLOURS

STANDARD DIMENSIONS

Note: Cork core will be in typical cork color; this component cannot be customized.




CENTURY

Screen

WOOD

The veneer used at submaterial is sourced from domestically grown hardwoods such as white oak and walnut. Each veneer displays the color, grain, and figure of the tree. Veneer is especially eco-friendly as each log can be used entirely with minimal waste. We strive to acquire wood products from responsibly managed forests that provide environmental, social, and economic benefits.

submaterial **WOOD**



WALNUT



WHITE OAK

Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

CENTURY

Screen

POWDER COATED FINISHES

RAL colors are used to define standard colors across various powder coated surfaces. The most popular manufacturer of powder coats, RAL colors are used in architecture, construction, industry and road safety. Submaterial uses RAL colors for their consistency in color matching. Below is a curated collection of the numerous colors we offer to powder coat any product using a powder coated surface. Note we cannot guarantee matte or gloss finishes, color matching can be verified using the RAL Colour chart, available online.

RAL COLOURS

STANDARD COLORS (PRICE INCLUDED)



RAL 7047 TELEGRAY 4



RAL 38/30019 SLATE GRAY



RAL 7015 DARK GRAY

SUBMATERIAL CURATED COLORS (ADDITIONAL COST)



RAL 9011 GRAPHITE BLACK



RAL 9003 SIGNAL WHITE



RAL 7032 PEBBLE GRAY



RAL 1013 OYSTER YELLOW



RAL 3007 BLACK RED



RAL 5008 GRAY BLUE



RAL 6005 MOSS GREEN



RAL 1012 LEMON YELLOW



RAL 3009 OXIDE RED



RAL 5009 AZURE BLUE



RAL 6003 MINT TURQUOISE



RAL 4009 PASTEL VIOLET



RAL 3000 FLAME RED



RAL 5014 PIGEON BLUE



RAL 6027 LIGHT GREEN



RAL 3015 LIGHT PINK

Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

SPECIFICATIONS

DESIGNER	Submaterial
PRODUCT NAME	Century
PRODUCT NUMBER	SCRN-SUBM-0008-04
PRODUCT CATEGORY	Screen
MATERIALS	Wood Veneer, Sustainably Sourced Cork, Powder Coated Aluminum
STANDARD DIMENSIONS	Single Screen: 36" x 92 1/8" (+/- 1/8"), Single Screen Extension: 36 1/4" x 92 1/8" (+/- 1/8"), Double Screen: 72 1/4" x 92 1/8" (+/- 1/8")
INSTALLED DEPTH	4"
ITEM WEIGHT	Single Screen or Extension: 26.0 lbs, Double Screen: 53.0 lbs
COLOR OPTIONS	Submaterial Wood Swatch List, RAL Color Powder Coat Swatch List
COLOR SPECIFICATION	To custom order a product, choose respective color assignments per product specification.
INSTALLATION METHOD	Ceiling mounted. Wood veneered mounting strip to ceiling with toggle bolts, powder-coated ceiling mount to mounting strip secured with powder-coated screw caps and #8 machine screws. Intended to install on level ceiling surface only. Rotate and adjust components of screen as desired after installation. Installation instructions available upon request.
PURPOSE	Commercial or Residential Use, Interior Use Only
MAINTENANCE	The preferred steps taken for the cleaning process should consist of (in order of intensity): dusting with a lint roller, vacuuming with a clean soft brush, spot cleaning with water and mild detergent, using chemical stain removers. Periodic spot removal of lint can be achieved easily by using a standard tape lint roller. Once per year, it is recommended that the entire surface be given a light vacuum with a soft upholstery brush. Light dusting with a gentle cloth, on hard surfaces, is recommended. Most hard surfaces can take a light application of a natural, neutral-based cleaner, wiped away with a soft cloth.
LEAD TIME	Products on hand will ship out 2-3 business days and will use client's preferred method of shipping. If no preferred method of shipping is mentioned, ground shipping will be chosen. For custom orders, be in touch with sales for accurate lead times. Lead times depend upon material sourcing.
SUSTAINABILITY	All cork used is sustainably and efficiently sourced from Portugal, 100% VOC free, with no chemical irritants, and free of harmful substances.
CUSTOM	For custom inquiries affecting colorways, sizes and quantities in the set contact Sales@submaterial.
VARIATION	All products are handmade at our New Mexico studio. Natural variations within the color and material composition are evidence of the handmade and 100% natural origin of the materials. Product colors are only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of natural materials and absorption of dyes, finishes, and grain. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
WARRANTY + RETURNS	No warranties are offered on any Submaterial products. Most of our products are made to order, therefore we offer returns or exchanges due to manufacturer's defect only. Items must be returned in the original packaging and have no visible signs of wear or use. If you have a concern, please contact us within 3 business days of receipt of your products. Please retain the original packaging and wait for instructions from our sales team.