

submaterial

+1 505 891 8356
SALES@SUBMATERIAL.COM

HOLT

Wall Panel



© 2023 SUBMATERIAL LLC

HOLT

Wall Panel



**HANDCRAFTED FROM
SOLID-STOCK DOMESTIC
WOODS, THE HOLT WALL
PANEL IS MODERN AND
DIMENSIONAL.**

The long grain planks are randomly interrupted by projections of end grain blocks arranged at various heights. The variation in grain pattern and tone creates a rich geometric topography. Holt redefines the use of wood as wall decor.



HOLT

Wall Panel

CUSTOMIZE YOUR PRODUCT


Diagrammed below are the materials used to create this Submaterial product. If you would like to make this product one-of-a-kind, select colors from the provided swatches on the following pages using the diagram to assist you in the material assignments. If you believe the customization you seek is outside of the standards listed below, please contact us. Color combinations and configurations to a product may be limited. For more information about limitations be in touch with us at sales@submaterial.com.



submaterial **WOOD**

EXAMPLE DIMENSIONS

Note: Final dimension will be up to 1/4" greater in each direction due to final trim.




HOLT

Wall Panel

WOOD

The wood used in Submaterial objects such as the Spindle Coaster Set and Murmur Trees is solid stock hardwood. Currently, we offer white oak and walnut. These hardwoods are grown domestically and whenever possible we source wood from the Southwest. We take the use of ethically and sustainably sourced materials seriously. We make every effort to acquire wood from responsibly managed forests that provide environmental, social, and economic benefits.

submaterial **WOOD**



WALNUT



WHITE OAK

Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

SPECIFICATIONS

DESIGNER	Submaterial
PRODUCT NAME	Holt
PRODUCT NUMBER	PANL-SUBM-0024-01
PRODUCT CATEGORY	Wall Panel
MATERIALS	Solid Wood
STANDARD DIMENSIONS	32¼" x 32¼" x 2½", 64¼" x 32¼" x 2½" Customizable panel sizes available.
ITEM WEIGHT	40.00 lbs, 80.00 lbs
COLOR OPTIONS	Submaterial Wood Swatch List
COLOR SPECIFICATION	To custom order a product, choose respective color assignments per product specification.
INSTALLATION METHOD	French Cleat
PURPOSE	Commercial or Residential Use, Interior Use Only
MAINTENANCE	Light dusting with a gentle cloth, on hard surfaces, is recommended. Most hard surfaces can take a light application of a natural, neutral-based cleaner, wiped away with a soft cloth.
LEAD TIME	Products on hand will ship out 2-3 business days and will use client's preferred method of shipping. If no preferred method of shipping is mentioned, ground shipping will be chosen. For custom orders, be in touch with sales for accurate lead times. Lead times depend upon material sourcing.
SUSTAINABILITY	Wood acquired from responsibly managed forests, when possible." In the sustainability line after belting leather part. Ultrasuede is a premier synthetic blend of microfiber, partially using a plant-based polyester.
CUSTOM	For custom inquiries affecting colorways, sizes and quantities in the set contact Sales@submaterial.com.
VARIATION	All products are handmade at our New Mexico studio. Natural variations within the color and material composition are evidence of the handmade and 100% natural origin of the materials. Product colors are only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of natural materials and absorption of dyes, finishes, and grain. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
WARRANTY + RETURNS	No warranties are offered on any Submaterial products. Most of our products are made to order, therefore we offer returns or exchanges due to manufacture's defect only. Items must be returned in the original packaging and have no visible signs of wear or use. If you have a concern, please contact us within 3 business days of receipt of your products. Please retain the original packaging and wait for instructions from our sales team.