

ODESSA

Wall Panel




ODESSA

Wall Panel



THICK WOOL FELT
TABS TURNED ON EDGE
IN A UNIFORM AND
MONOCHROMATIC GRID
CREATES THE VISUALLY
SATISFYING SURFACE OF
THE ODESSA PANEL. THE
LOOK IS ARCHITECTURAL
AND CLEAN, SOFT YET
SLEEK.



24 April 2023 **2 0F 7**



ODESSA


Wall Panel

CUSTOMIZE YOUR PRODUCT

Diagrammed below are the materials used to create this Submaterial product. If you would like to make this product one-of-a-kind, select colors from the provided swatches on the following pages using the diagram to assist you in the material assignments. If you believe the customization you seek is outside of the standards listed below, please contact us. Color combinations and configurations to a product may be limited. For more information about limitations be in touch with us at sales@submaterial.com.




MODULE DIMENSIONS



EXAMPLE PANEL DIMENSIONS

Note: Panel dimensions must be ordered in multiples of module dimension. Final dimension will be up to ½" greater due to final trim.



24 April 2023 3 **3 7 7**

ODESSA

Wall Panel

FELT

Wool felt is one of the oldest man-made textiles. A biodegradable and renewable material, wool felt is moisture resistant, self-extinguishing, and known for its thermal and acoustic insulation properties. We employ Filzfelt products which are German-milled, 100% wool manufactured. This Merino wool is sourced primarily from Australia, New Zealand, and South Africa. Slight variation in color is a result of the manufacturing with a natural material.

filzfelt •



24 April 2023 4 0F 7

ODESSA


Wall Panel



24 April 2023 **5 0F 7**

ODESSA

Wall Panel



Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

24 April 2023 6 **6 F 7**



SPECIFICATIONS

DESIGNER	Submaterial
PRODUCT NAME	Odessa
PRODUCT NUMBER	PANL-SUBM-0007-01
PRODUCT CATEGORY	Wall Art
MATERIALS	100% Merino Wool Felt
MODULE DIMENSIONS	2" × 2"
COLOR OPTIONS	Filzfelt 100% Merino Wool Felt Swatch List
COLOR SPECIFICATION	To custom order a product, choose respective color assignments per product specification.
INSTALLATION METHOD	French Cleat
INSTALLED DEPTH	3"
PURPOSE	Commercial or Residential Use, Interior Use Only
MAINTENANCE	The preferred steps taken for the cleaning process should consist of (in order of intensity): dusting with a lint roller, vacuuming with a clean soft brush, spot cleaning with water and mild detergent, using chemical stain removers. Periodic spot removal of lint can be achieved easily by using a standard tape lint roller. Once per year, it is recommended that the entire surface be given a light vacuum with a soft upholstery brush. Light dusting with a gentle cloth, on hard surfaces, is recommended. Most hard surfaces can take a light application of a natural, neutral-based cleaner, wiped away with a soft cloth.
LEAD TIME	Products on hand will ship out 2-3 business days and will use client's preferred method of shipping. If no preferred method of shipping is mentioned, ground shipping will be chosen. For custom orders, be in touch with sales for accurate lead times. Lead times depend upon material sourcing.
SUSTAINABILITY	100% Wool Design Felt is 100% biodegradable and Akustika 10 Substrate is 100% recyclable Contains no formaldehyde, 100% VOC free, no chemical irritants, and free of harmful substances 100% Wool Design Felt contributes to ©LEED certifications. All cork used is sustainably and efficiently sourced from Portugal, 100% VOC free, with no chemical irritants, and free of harmful substances. Ultrasuede is a premier synthetic blend of microfiber, partially using a plant-based polyester. Ultrasuede is a premier synthetic blend of microfiber, partially using a plant-based polyester.
сиѕтом	For custom inquiries affecting colorways, sizes and quantities in the set contact Sales@submaterial.com.
VARIATION	All products are handmade at our New Mexico studio. Natural variations within the color and material composition are evidence of the handmade and 100% natural origin of the materials. Product colors are only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of natural materials and absorption of dyes, finishes, and grain. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
COLORFASTNESS TO LIGHT	Felt, Class 4-5 (40hours)
COLORFASTNESS TO CROCKING	Felt, Class 3-4 (wet), Class 4-5 (dry)
WARRANTY + RETURNS	No warranties are offered on any Submaterial products. Most of our products are made to order, therefore we offer returns or exchanges due to manufacture's defect only. Items must be returned in the original packaging and have no visible signs of wear or use. If you have a concern, please contact us within 3 business days of receipt of your products. Please retain the original packaging and wait for instructions from our sales team.

24 April 2023 7 **0F 7**