

submaterial

+1 505 891 8356
SALES@SUBMATERIAL.COM

PIVOT

Mirror



© 2024 SUBMATERIAL LLC

PIVOT

Mirror



QUARTERED AND ROTATED GEOMETRIES FROM OUR MOST POPULAR PRODUCTS INSPIRE THE WINDING LATTICEWORK OF THESE MIRRORS.

This latticework distorts the reflections used in our other wall art and reveals parts of the glass mirror below. The rotated orientations of the quartered geometries invite the eye to wander across the field of shapes. The powder coated aluminum lattice and glass mirror are surrounded by a solid wood frame.




PIVOT
Mirror

CUSTOMIZE YOUR PRODUCT


Diagrammed below are the materials used to create this Submaterial product. If you would like to make this product one-of-a-kind, select colors from the provided swatches on the following pages using the diagram to assist you in the material assignments. If you believe the customization you seek is outside of the standards listed below, please contact us. Color combinations and configurations to a product may be limited. For more information about limitations be in touch with us at sales@submaterial.com.




PATTERN OPTIONS




NO. 1




NO. 2



NO. 3



NO. 4



NO. 5
In Development




NO. 6
In Development

PIVOT


Mirror

MODULE DIMENSIONS



EXAMPLE MIRROR DIMENSIONS

Note: Panel dimensions must be ordered in multiples of module dimension. Final dimension will be 2" greater due to wooden frame.




PIVOT

Mirror

WOOD

The wood used in the this Submaterial piece is solid stock hardwood or may be veneered. Currently, we offer white oak and walnut. Whenever possible we source wood from the Southwest. We take the use of ethically and sustainably sourced materials seriously. We make every effort to acquire wood from responsibly managed forests that provide environmental, social, and economic benefits.

submaterial **WOOD**



WALNUT



WHITE OAK

Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

PIVOT


Mirror

POWDER COATED FINISHES

RAL colors are used to define standard colors across various powder coated surfaces. The most popular manufacturer of powder coats, RAL colors are used in architecture, construction, industry and road safety. Submaterial uses RAL colors for their consistency in color matching. Below is a curated collection of the numerous colors we offer to powder coat any product using a powder coated surface. Note we cannot guarantee matte or gloss finishes, color matching can be verified using the RAL Colour chart, available online.

RAL COLOURS

STANDARD COLORS (PRICE INCLUDED)



RAL 7047 TELEGRAY 4



RAL 38/30019 SLATE GRAY



RAL 7015 DARK GRAY

SUBMATERIAL CURATED COLORS (ADDITIONAL COST)



RAL 9011 GRAPHITE BLACK



RAL 9003 SIGNAL WHITE



RAL 7032 PEBBLE GRAY



RAL 1013 OYSTER YELLOW



RAL 3007 BLACK RED



RAL 5008 GRAY BLUE



RAL 6005 MOSS GREEN



RAL 1012 LEMON YELLOW



RAL 3009 OXIDE RED



RAL 5009 AZURE BLUE



RAL 6003 MINT TURQUOISE



RAL 4009 PASTEL VIOLET



RAL 3000 FLAME RED



RAL 5014 PIGEON BLUE



RAL 6027 LIGHT GREEN



RAL 3015 LIGHT PINK

Color combinations and configurations to a product may be limited. For more information about limitations be in touch with sales.

PIVOT

Mirror

DESIGNER	Submaterial
PRODUCT NAME	Pivot No. 1, Pivot No. 2, Pivot No. 3, Pivot No. 4
PRODUCT NUMBER	MIRR-SUBM-0015-03, MIRR-SUBM-0024, MIRR-SUBM-0025, MIRR-SUBM-0026
PRODUCT CATEGORY	Mirror
MATERIALS	Solid Hardwood Frame, Mirrored Glass, Powder Coated Aluminum Lattice
MODULE DIMENSIONS	4" x 4"
MAXIMUM DIMENSIONS	Any size available, may be split into multiple mirrors based on material constraints and shipping. Seams will be placed or hidden in an inconspicuous location on mirror.
ITEM WEIGHT	-38lbs for a 34" x 34" mirror, be in contact with sales for approximate weights for your custom piece.
COLOR OPTIONS	Submaterial Wood Swatch List, RAL Color Powder Coat Swatch List
COLOR SPECIFICATION	To custom order a product, choose respective color assignments per product specification.
INSTALLATION METHOD	Z-Clip
INSTALLED DEPTH	3"
PURPOSE	Commercial or Residential Use, Interior Use Only
MAINTENANCE	Lightly dust with a cloth made from gentle fibers. We recommend canned air for blowing away smaller debris between the glass surface and aluminum lattice. Use Distilled water and mild soap with a soft cloth to wipe away any residue or substance. Never spray cleaning solution directly on mirror, apply to cloth before wiping away residue. Be sure to dry with dry cloth after using wet method. Use glass cleaner and a soft cloth to clean surface of mirror. Never spray cleaning solution directly on mirror, apply to cloth before cleaning surface of mirror.
LEAD TIME	Products on hand will ship out 2-3 business days and will use client's preferred method of shipping. If no preferred method of shipping is mentioned, ground shipping will be chosen. For custom orders, be in touch with sales for accurate lead times. Lead times depend upon material sourcing.
SUSTAINABILITY	Wood acquired from responsibly managed forests, when possible.
CUSTOM	For custom inquiries affecting colorways, sizes and quantities in the set contact Sales@submaterial.com.
VARIATION	All products are handmade at our New Mexico studio. Natural variations within the color and material composition are evidence of the handmade and 100% natural origin of the materials. Product colors are only indicative, as it is not possible to assure consistency of color in a natural product due to the natural color of natural materials and absorption of dyes, finishes, and grain. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
WARRANTY + RETURNS	No warranties are offered on any Submaterial products. Most of our products are made to order, therefore we offer returns or exchanges due to manufacture's defect only. Items must be returned in the original packaging and have no visible signs of wear or use. If you have a concern, please contact us within 3 business days of receipt of your products. Please retain the original packaging and wait for instructions from our sales team.